

# Power-Kleen 810-P

## Multi-Metal Corrosion Inhibitor

Power-Kleen 810P is excellent for application not requiring detergents, but still need to maintain the pH to prevent corrosion.

### ADVANTAGES

- High rinseability provides a complete chemical removal with no staining or residues.
- Contains no metallic compounds such as chromate or zinc.
- Contains no silicone to interfere with new coatings or paint.
- Formulated to protect your washer & unrinsed parts including Ferrous Metals, Copper, and Aluminum.

### PHYSICAL PROPERTIES

Form: Powder, Stick or Pellet  
Color: Pinkish Blue  
pH (use dilution) 10.9  
Storage Stability Excellent

### MIXING INSTRUCTIONS

For MART Power Washers, heat the water to at least 160 degrees. 30 - 8 oz sticks (15 lbs), will treat approximately 300 gallons at 1200 ppm - NO<sub>2</sub> (Nitrite). Washer conditions may vary requiring additional inhibitor; however, each bag will contribute 240 ppm - NO<sub>2</sub> to a 300 gallon tank. Carefully distribute 8 oz (1 stick) of inhibitor per 10 gallons of water, on the drip pan, beneath the turntable in the MART Power Washer. For all other cleaning equipment, add chemical carefully and as instructed by the machine manufacturer. Avoid "dumping" of chemical directly into washer reservoir. Operate the wash cycle at 160 to 190 degrees F, to distribute chemical and mix into solution. Avoid contact with chemical and solution.

### PACKAGING

Part Number	Package Size
22134	15 lbs Pail

- Shipping: Ships UPS or Truck, Next day Available

### HEALTH AND SAFETY

Avoid contact with chemical and solution. Avoid inhaling fumes. Instructions can also be found on the Power-Kleen 810P label, MART Tech Services Website or reference the MART Power Washer Operating Manual. Get the most recent MSDS from our website at [www.marttechservices.com](http://www.marttechservices.com) or call MART Tech Services.



2450 Adie Road Suite 100 Maryland Heights, MO 63043  
Ph 800-543-6278 Fax 314-567-6318  
Website [www.marttechservices.com](http://www.marttechservices.com)