

# MATERIAL SAFETY DATA SHEET

## SECTION 1 – PRODUCT AND COMPANY IDENTIFICATION.

### MART Tech Services

2450 Adie Road  
Maryland Heights, MO 63043  
800/543-6278

MEDICAL EMERGENCY HOTLINE 1-800-228-5635 EXT. 005

PRODUCT NAME: **Power Kleen CI**  
 PRODUCT DESCRIPTION: Pinkish Blue in powder, stick or pellet, Essentially Odorless  
 CHEMICAL FAMILY: Corrosion Inhibitor  
 REVISION DATE: 07/18/2008

## SECTION 2 – COMPOSITION, INFORMATION ON INGREDIENTS.

<u>COMPONENT/CAS #</u>	<u>ACGIH TLV</u>	<u>OSHA PEL</u>	<u>% WT</u>	<u>NOTES</u>
SODIUM METASILICATE 6834-92-0	N.E.	N.E.	<50	N.A.
SODIUM BORATE 1330-43-04			<50	N.A.
SODIUM NIRATE 7631-99-4	10 MG/M3	15 MG/M3	5%	SARA Rep.
SODIUM NIRATE 7632-00-0	N.E.	N.E.	25%	SARA Rep.
SODIUM TOLYTRIAZOLE 64665-57-2	10 MG/M3	15 MG/M3	<10%	N.A.

NOTE 1 – Section 313 Supplier Notification: “SARA Rep.” identifies chemical ingredients subject to reporting requirement of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986. This information should be included in all MSDS’s that are copied and distributed for this material.

## SECTION 3 – HAZARDS IDENTIFICATION.

HAZARD SIGNAL (short-term contact or inhalation only):

Health – 2                      Instability – 0  
 Fire – 1                         Other – x  
 (0=insignificant; 1=slight; 2=moderate; 3=high; 4=extreme)

THRESHOLD LIMIT VALUE: N.E., blended product. See Section 2 for information on listed ingredients.

PRIMARY ROUTES OF ENTRY: Eye contact, Skin contact, Inhalation of dust or spray.

EFFECTS OF ACUTE OVEREXPOSURE:

Eyes – Irritation, severe irritation possible with prolonged contact.  
 Skin – Irritation possible with prolonged contact.  
 Inhalation of dust of product or mist of solution – Irritation of respiratory tract.  
 Swallowing – Irritation or burns of mouth, throat and stomach. Stomach upset.

EFFECTS OF CHRONIC OVEREXPOSURE: Unknown; nine expected beyond acute effects. > Contains borax. High dose long term animal studies with similar borate chemicals demonstrated reproductive effects in male animals and fetal effects in female animals. However, human studies of occupational exposures have not revealed similar effects.

CARCINOGENICITY: This product or its ingredients have not been identified as a carcinogen or probable carcinogen by NTP, IARC monographs, or OSHA.

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Some people have an allergic sensitivity to nitrites. Otherwise. None known or expected.

---

PRODUCT NAME: **Power Kleen CI**  
REVISION DATE: 07/18/2008

---

#### **SECTION 4 – FIRST AID MEASURES.**

EYES – Immediately flush with cool running water holding eyelids apart. Remove contact lenses if present, and continue flushing for 15 minutes. Get medical assistance.

SKIN – Immediately flush with cool running water for 15 minutes. Remove contaminated clothing and wash before reuse. If irritation or burn develops and persists, get medical advice or assistance.

INHALED – Remove to fresh air. Immediately call for medical advice or assistance if breathing difficulty or irritation is severe or continues.

SWALLOWED – Rinse mouth with large amounts of water. Drink water, milk, or other fluids to dilute. Do not induce vomiting unless directed by medical personnel. Immediately call for medical advice or assistance.

---

#### **SECTION 5 – FIRE FIGHTING MEASURES.**

FLASH POINT: None

FLAMMABLE LIMITS LEL-UEL: N.A.

Extinguishing media: As needed for surrounding fire.

Special Fire Fighting Procedures: For any chemical fire wear self contained breathing apparatus, and protective clothing to prevent contact.

Unusual Fire and Explosion Hazards: Product itself is noncombustible. On decomposition, may release oxygen to enhance combustion.

Hazardous Combustion Products: Oxides of sulfur and nitrogen.

---

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES.**

Small Spills, less than 2 pounds: Wear glasses and rubber gloves and recover as practical. Flush spill area to drain with excess water.

Large Spills: Only knowledgeable and properly protected people should work with a large spill. Get professional assistance if necessary.

Stop source of discharge if safe to do so. Evacuate unprotected personnel from the immediate area. Keep material dry. Contain spilled material, and keep from discharging to surface waters. Recover to drum for later use, treatment, or disposal

Flush to drain.

Notify local, state, or national authorities if required.

Disposal: Product and un-neutralized solutions are alkaline. Dispose of according to national, state, and local rules.

---

**SECTION 7 – HANDLING AND STORAGE.**

Handling: Prevent contact with product. Do not breathe product dust, or mists of solution of product. Mix solutions by adding product slowly to water with stirring. Do NOT add water to dry product, which could cause spattering and eruption.  
Clean up spills promptly to prevent accidental contact.  
Wash immediately after contact. Wash after use.

---

PRODUCT NAME: **Power Kleen CI**  
REVISION DATE: 07/18/2008

---

Prevent contact with incompatible materials; see Section 10.

Storage: Keep containers tightly closed. Keep product dry to prevent caking.

---

**SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION.**

Ventilation: General or local to avoid exposure to irritating product dust or mists of solutions.

Respirator: NIOSH/MSHA approved respirator where conditions may cause exposure limits to be exceeded from dust of product or mists of solution.

Eye Protection: Glasses, goggles, or face shield to prevent eye exposure.

Protective Clothing: Alkali-resistant, impermeable gloves. Full body covering with rubber apron and shoes to prevent contact.

Other Protective Equipment or Measures: Eye wash stations in the work area.

---

**SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES.**

Boiling Point: N.A.

Vapor Pressure: N.E.

Specific Gravity: N.A.

Vapor Density: N.E.

Percent Volatile: N.A.

Evaporation Rate: N.A.

Solubility in Water: Complete.

pH: 10.9 (2% solution)

Appearance and Odor: See Section 1.

V.O.C.: 0

---

**SECTION 10 – STABILITY AND REACTIVITY.**

Stable: Yes. Hazardous Polymerization will not occur.

Conditions to Avoid: Contact with incompatible materials (see below).

Incompatible Materials: Strong oxidizing agents, strong acids, and reducing agents.

---

**DISCLAIMER.**

The above information is, to the best of our knowledge, current, accurate, and complete based on information reasonably available to us as of the date of preparation of this form. However, it is the user's responsibility to determine the safety, toxicity, and suitability for his or her own use of the product described herein. Since the actual

(Continued)

use by others is beyond our control, no guarantee, expressed or implied, is made by us as to the effects of such use or on the safety or toxicity of this product. Nor do we assume any liability arising out of use by others of the product. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when exceptional conditions or circumstances exist or because of applicable laws or regulations.

---

N.E. = NOT ESTABLISHED / N.A. = NOT APPLICABLE  
-END OF DOCUMENT-

---