

SECTION 1 - PRODUCT AND COMPANY IDENTIFICATION.**Mart Tech Services -Arcus Inc**

2450 Adie Rd.
Maryland Heights, MO 63043
800/543-6278
INFOTRAC: 800-535-5053

PRODUCT NAME: **Powerkleen IL**
 PRODUCT DESCRIPTION: Clear liquid
 CHEMICAL FAMILY: Alkaline detergent
 REVISION DATE: 04/02/12 PRINT DATE: 04/02/12 PRINT TIME: 15:31
 DOT PROPER SHIPPING NAME: NA1760PH
 DOT TECHNICAL NAME: NA1760, Compounds, Cleaning Liquid, (Potassium Hydroxide), 8, PG II, ERG#154
 DOT HAZARD CLASS: 8 HAZARD SUBCLASS:
 DOT UN/UA NUMBER: NA1760 PACKING GROUP: II RESP. GUIDE PAGE: 154

SECTION 2 - COMPOSITION, INFORMATION ON INGREDIENTS.

<u>Hazard</u>	<u>CAS #</u>	<u>WT/Wt % Less Than</u>
POTASSIUM HYDROXIDE	1310-58-3	25-40
ACGIH TLV: 2 MG/M3 (TWA);		
OSHA PEL: 2 MG/M3 (TWA);		
SODIUM HYDROXIDE	1310-73-2	5-10
ACGIH TLV: 2 MG/M3 (TWA);		
OSHA PEL: 2MG/M3 (TWA);		

NOTE 1 - Section 313 Supplier Notification: "SARA Rep." identifies chemical ingredients subject to reporting requirements of Section 313 of the Emergency Planning and Community Right-To-Know Act of 1986. This information should be included in all MSDS's that are copied and distributed for this material.

SECTION 3 - HAZARDS IDENTIFICATION

HEALTH-----	3
INSTABILITY-----	0
FIRE-----	0
OTHER-----	x

Hazard Signal (short term contact or inhalation only)

THRESHOLD LIMIT VALUE: N.E., blended product. See Section 2 for information on listed ingredients.

PRIMARY ROUTES OF ENTRY: Eye contact, Skin contact, Inhalation of spray.

EFFECTS OF ACUTE OVEREXPOSURE:

Eyes - Burns.

Skin - Irritation, or burns.

Inhalation of mist of product or solution - Irritation of respiratory tract; possible burns, chemical pneumonia, and lung damage.

Swallowing - Burns of mouth, throat and stomach; pain nausea vomiting, shock symptoms.

EFFECTS OF CHRONIC OVEREXPOSURE: Unknown; none expected beyond acute effects.

CARCINOGENICITY: This product or its ingredients have not been identified as a carcinogen or probable carcinogen by NTP, IARC monographs, or OSHA.

PRODUCT NAME: **Powerkleen IL**
REVISION DATE: 04/02/12 PRINT DATE: 04/02/12 PRINT TIME: 15:31

MEDICAL CONDITIONS AGGRAVATED BY EXPOSURE: Dermatitis and similar skin disorders from contact; respiratory disorders from breathing mists.

SECTION 4 - FIRST AID MEASURES.

EYES - Immediately flush with cool running water holding eye lids apart. Remove contact lenses if present, and continue flushing for 15 minutes. Get medical assistance.

SKIN - Immediately flush with cool running water for 15 minutes. Remove contaminated clothing and wash before reuse. If irritation or burn develops and persists, get medical advice or assistance.

INHALED - Remove to fresh air. Immediately call for medical advice or assistance if breathing difficulty or irritation is severe or continues.

SWALLOWED - Rinse mouth with large amounts of water. Drink water, milk or other fluids to dilute. Do not induce vomiting unless directed by medical personnel. Immediately call for medical advice or assistance.

SECTION 5 - FIRE FIGHTING MEASURES.

FLASH POINT	none
FLAMMABLE LIMITS LEL-UEL	NA

Extinguishing media: As needed for surrounding fire.

Special Fire Fighting Procedures: For any chemical fire wear self contained breathing apparatus, and protective clothing to prevent contact.

Unusual Fire and Explosion Hazards: Product generates heat upon addition of water with possible spattering. May produce flammable hydrogen gas upon contact with reactive metals.

Hazardous Combustion Products: Carbon monoxide, carbon dioxide.

SECTION 6 - ACCIDENTAL RELEASE MEASURES.

Small Spills, less than 1 gallon: Wear glasses and rubber gloves and recover as practical. Flush spill area to drain with excess water. Continue water flow.

Large Spills: Only knowledgeable and properly protected people should work with a large spill. Get professional assistance if necessary.

Stop source of discharge if safe to do so. Evacuate unprotected personnel from the immediate area. Contain spilled material, and keep from discharging to surface waters. Recover to drum for later use, treatment or disposal. Recover using alkali resistant pump, scoops, absorbent material, or other process as appropriate.

Neutralize contaminated area with a dilute solution of a mild acid such as vinegar or citric acid. Flush to drain.

Notify local, state, or national authorities if required.

Disposal: Product and un-neutralized solutions are strongly alkaline. Dispose of according to national, state, and local rules.

SECTION 7 - HANDLING AND STORAGE

PRODUCT NAME: **Powerkleen IL**
REVISION DATE: 04/02/12 PRINT DATE: 04/02/12 PRINT TIME: 15:31

Handling: Avoid unnecessary contact with product. Wear all protective equipment when handling product. Wash after use. Avoid breathing mists of product solution. Prevent contact with incompatible materials; see Section 10.

Storage: Keep container tightly closed. Keep from freezing; may rupture container or degrade product.

SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION.

Ventilation: General or local to avoid exposure to irritating mists.

Respirator: NIOSH/MSHA approved respirator where conditions may cause exposure limits to be exceeded from mists of solutions.

Eye Protection: Glasses, goggles, and/or face shield to prevent eye exposure.

Protective Clothing: Alkali resistant, impermeable gloves. Full body covering with rubber apron and shoes as needed to prevent contact.

Other Protective Equipment or Measures: Eye wash stations in the work area.

SECTION 9-PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT	NA
VAPOR PRESSURE(MM HG@70°F)	NE
SPECIFIC GRAVITY	NA
VAPOR DENSITY(AIR=1)	NE
PERCENT VOLATILE	NA
EVAPORATION RATE(ETHER=1)	NA
SOLUBILITY IN WATER	complete
PH	13 (5%)
APPEARANCE AND ODOR	See Section 1
V.O.C.	0

SECTION 10 - STABILITY AND REACTIVITY.

Stable: Yes. Hazardous Polymerization will not occur.

Conditions to Avoid: Contact with incompatible materials (see below).

Incompatible Materials: Strong oxidizing agents, strong acids.

SECTION 11 TOXICOLOGICAL INFORMATION

no data

SECTION 12 - ECOLOGICAL INFORMATION

no data

SECTION 13 - DISPOSAL INFORMATION

WASTE MANAGEMENT INFORMATION:

This product when disposed of MAY BE classified as a hazardous waste per 40 CFR, part 261. The user is responsible for treating spilled or unused material in accordance with all local, state, and federal regulations. (Refer to 40 CFR, part 261, subparts C and D; and 40 CFR, 1900.1200 OSHA regulations.)

SECTION 14 - TRANSPORT INFORMATION

PRODUCT NAME: **Powerkleen IL**
REVISION DATE: 04/02/12 PRINT DATE: 04/02/12 PRINT TIME: 15:31

DOT Information- 49 CFR 172.101

DOT Description: NA1760, Compounds, Cleaning Liquid, (Potassium Hydroxide), 8, PG II,
ERG#154

SECTION 15 - REGULATORY INFORMATION

US FEDERAL Regulations: (TSCA Toxic Substances Control Act) Status
TSCA (United States) The intentional ingredients of this product are listed.

CERCLA RQ-40 CFR 302.4 (a): None

SARA 302 EHS COMPONENTS: None

SECTION 311/312 Acute: Yes, Chronic: Yes, Fire: No, Pressure: No, Reactivity: No

SARA 313 COMPONENTS - See Section 2

International Regulations Inventory Status: not determined

SECTION 16 - OTHER INFORMATION

DISCLAIMER:

The above information is, to the best of our knowledge, current, accurate, and complete based on information reasonably available to us as of the date of preparation of this form. However, it is the user's responsibility to determine the safety, toxicity and suitability for his or her own use of the product described herein. Since the actual use by others is beyond our control, no guarantee, expressed or implied, is made by us as to the effects of such use or on the safety or toxicity of this product. Nor do we assume any liability arising out of use by others of the product. Nor is the information herein to be construed as absolutely complete, since additional information may be necessary or desirable when exceptional conditions or circumstances exist or because of applicable laws or regulations.

NE = NOT ESTABLISHED / NA = NOT APPLICABLE

END OF DOCUMENT
